

Steel Master Global Product Catalogue

Beams, Columns, Channels,
Angles, Merchant Bar & Plates



Steel Master Global Pty Ltd

Mobile 0400 230 423 - Mark

0424 771 899 - Luis

Email sales@steelmasterglobal.com

Website <http://www.steelmasterglobal.com>

ABN 24 605 552 207



Steel Master Global is a proud distributor and manufacturer of a wide range of structural steel products throughout Australia and New Zealand.

We have been supporting Australian steel resellers and projects with quality steel and competitive price since 2011. We have ensured exceptional service and responsiveness from the initial bid to product delivery. We have earned our position in the industry by doing things right the first time. We understand that steel is all about our job and the business. We are dedicated to providing you what you want, when you want it, and at most competitive prices. When issues arise, we're all over it. We win when you win!

Steel Master Global offers a range of structural and plate products, including beams (I Beams, T Beams, Tapered-flange Beams), columns, channels, merchant bar (flats, angles, rounds, squares) and plate. This includes straight and mitre cutting, drilling, galvanization, painting as well as welding as required. Grades available for the products are 250MPa or 300MPa across all sections.

Product sizes are as follows*:

Universal beams:	100 - 900
Universal columns:	100 - 400
Parallel flange channels:	50x37 - 400x104
Equal angles:	20 - 200
Unequal angles:	32x20 - 200x125
Merchant bar:	10 - 300 3-50 thick
Plate:	1200 - 1800 3 - 100 thick

* All measurements are in mm

* Please see details of the available sizes of each product inside this brochure

* For more information, please visit our website www.steelmasterglobal.com



Structural Plate - International Standard Comparisons

Tensile Strength (MPa)	Australian AS 3678	Chinese GB T/700-2006 T/1591-2008	European EN10025	British* BS 4360	American ASTM	International ISO 630
300	200					
310		Q195			A283A	Fe310-0
330						
360		Q215	S235JR	40A, B, C, D	A283B	Fe360A B, C, D
380					A283C	
400					A36, A573-400	
410	250 250L15	Q235B	S275JR S275JO S275J2G3 S275J2G4		A283D A284C, D A529 A572-290	
430	300 300L15	Q345B	Fe430B C, D1, D2	43A, B, C, D	A633A	Fe430A B, C, D
450	350 350L15				A573-450 A572-345	
480	400 400L15	Q390			A573-485	
490			S355JR S355JD S355J2G3	50A, B, C, D		Fe510 B, C, D
520	450 450L15	Q420			A572-415	Fe510 B, C, D

1. The table indicates the approximate relationship between Australian grades and their international counterparts.
2. This table is designed for customers to determine the nearest available equivalents to an international specification.
3. Grades are shown in increasing tensile strength order. In the case of American ASTM Standards some grades are shown in increasing yield strength (YS) order, as their position in the hierarchy is different when based on the yield strength compared to tensile strength (TS).
4. For grades with suffix letters C, D on British, European and International Standards, B, C on Japanese Standards and suffix numbers 2, 3 on German Standards, the appropriate Australian alternative is the nearest L15 grade of the equivalent strength level (ie. High or Medium).
5. The information here is a guide ONLY. Steel Master Global recommends you consult professional designer, current standards and manufactures information prior to acting or relying on this information. Steel Master Global takes no responsibility for this general advice.



Universal Beams (UB)

 Section: Universal Beams (UB) Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted							
Size Specification (mm)	Weight (kg/m)	Metre/ Tone	Depth of Section	Flange (mm)		Web (mm)	
				Width	Thickness	Depth	Thickness
100 UB	9.54	105	100	50	7.0	86	5.0
125 UB	13.3	75	125	60	8.0	109	6.0
150 UB	21.4	46	148	100	9.0	130	6.0
150 UB	14.3	70	150	75	7.0	136	5.0
180 UB	18.2	54	175	90	8.0	159	5.0
200 UB	31.2	32	194	150	9.0	176	6.0
200 UB	18.5	54	198	99	7.0	184	4.5
200 UB	21.7	46	200	100	8.0	184	5.5
250 UB	44.1	22	244	175	11.0	222	7.0
250 UB	25.8	38	248	124	8.0	232	5.0
250 UB	29.7	33	250	125	9.0	232	6.0
300 UB	57.3	17	294	200	12.0	270	8.0
300 UB	37.3	26	300	150	9.0	282	6.5
350 UB	79.7	12	340	250	14.0	312	9.0
350 UB	131.0	7	344	354	16.0	312	16.0
350 UB	41.8	24	346	174	9.0	328	6.0
350 UB	50.0	20	350	175	11.0	328	7.0
400 UB	147.0	7	394	398	18.0	358	11.0
400 UB	55.8	18	400	150	13.0	374	8.0
400 UB	56.7	17	396	199	11.0	374	7.0
400 UB	66.0	15	400	200	13.0	374	8.0
450 UB	124.0	8	440	300	18.0	404	11.0
450 UB	66.7	15	446	199	11.0	424	7.0
450 UB	76.5	13	450	200	14.0	422	9.0
500 UB	115.0	9	482	300	15.0	452	11.0
500 UB	129.0	8	488	300	18.0	452	11.0
500 UB	79.5	12	496	199	14.0	468	9.0
500 UB	89.6	11	500	200	16.0	468	10.0
600 UB	137.0	7	582	300	17.0	548	12.0
600 UB	151.0	6	588	300	20.0	548	12.0
600 UB	95.1	10	596	199	15.0	566	10.0
600 UB	106.0	9	600	200	17.0	566	11.0
700 UB	185.0	5	700	300	24.0	652	13.0
800 UB	191.0	5	792	300	22.0	748	14.0
800 UB	210.0	5	800	300	26.0	748	14.0
800 UB	213.0	5	890	299	23.0	844	15.0
900 UB	243	4	900	300	28.0	844	16.0
900 UB	286	4	912	302	28.0	856	16.0

Note:

- Various Standard Lengths: 6m - 12m or as required
- Not all sizes are listed above. Please contact our sales team (sales@steelmasterglobal.com) for availability of products.



Universal Columns (UC)

 Section: Universal Columns (UC) Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted							
Size Specification (mm)	Weight (kg/m)	Metre/ Tone	Depth of Section	Flange (mm)		Web (mm)	
				Width	Thickness	Depth	Thickness
100 UC	17.2	58	100	100	8.0	84	6.0
125 UC	23.8	42	125	125	9.0	107	6.5
150 UC	31.9	31	150	150	10.0	130	7.0
180 UC	40.3	24	175	175	11.0	153	7.5
200 UC	50.5	19	200	200	12.0	176	8.0
200 UC	72.3	13	200	204	12.0	176	12.0
250 UC	64.4	15	244	252	11.0	222	11.0
250 UC	72.4	13	250	250	14.0	222	9.0
250 UC	82.2	12	250	255	14.0	222	14.0
300 UC	85.0	11	294	302	12.0	270	12.0
300 UC	94.5	10	300	300	15.0	270	10.0
300 UC	106.0	9	300	305	15.0	270	15.0
350 UC	106.0	9	338	351	13.0	312	13.0
350 UC	115.0	9	344	348	16.0	312	10.0
350 UC	137.0	7	350	350	19.0	312	12.0
400 UC	141.0	7	394	398	18.0	358	11.0
400 UC	107.0	9	390	300	16.0	358	10.0
400 UC	172.0	5	400	400	21.0	358	13.0
400 UC	197.0	5	400	408	21.0	358	21.0
400 UC	233.0	4	414	405	28.0	328	18.0

Note:

- Various Standard Lengths: 6m - 12m or as required
- Not all sizes are listed above. Please contact our sales team (sales@steelmasterglobal.com) for availability of products.

T Beams (Welded Beams)

 Section: T Beams Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted	
---	--

T-beams are used in construction as a load-bearing structure of reinforced concrete, wood or metal, with a T-shaped cross section. The top of the T-shaped cross section serves as a flange or compression member in resisting compressive stresses. The web (vertical section) of the beam below the compression flange serves to resist shear stress and to provide greater separation for the coupled forces of bending. T Beams are welded and are available in a galvanized coated finish. Please contact our sales team (sales@steelmasterglobal.com) for more information.



Parallel Flange Channels (PFC)



Section: Parallel Flange Channels (PFC)
Grade: 250MPa / 300MPa
Surface Finish: Mill Finish / Galvanized / Painted

Size Specification (mm)	Weight (kg/m)	Metre/ Tone	Depth of Section	Flange (mm)		Web (mm)	
				Width	Thickness	Depth / Flange	Thickness
50 x 37	5.438	184	50	37	4.5	41.0	4.5
63 x 40	6.634	151	63	40	4.8	53.4	4.8
80 x 43	8.045	124	80	43	5.0	70.0	5.0
100 x 48	10.007	100	100	48	5.3	89.4	5.3
126 x 53	12.318	81	126	53	5.5	115.0	5.5
140 x 58	14.535	69	140	58	6.0	128.0	6.0
140 x 60	16.733	60	140	60	8.0	124.0	8.0
160 x 63	17.240	58	160	63	6.5	147.0	6.5
160 x 65	19.754	51	160	65	8.5	143.0	8.5
180 x 68	20.174	50	180	68	7.0	166.0	7.0
180 x 70	23.000	43	180	70	9.0	162.0	9.0
200 x 73	22.637	44	200	73	7.0	186.0	7.0
200 x 75	25.777	39	200	75	9.0	182.0	9.0
220 x 77	24.999	40	220	77	7.0	206.0	7.0
220 x 79	28.453	35	220	79	9.0	202.0	9.0
250 x 78	27.410	36	250	78	7.0	236.0	7.0
250 x 80	31.335	32	250	80	9.0	232.0	9.0
250 x 82	35.260	28	250	82	11.0	228.0	11.0
280 x 82	31.427	32	280	82	7.5	265.0	7.5
280 x 84	35.823	28	280	84	9.5	261.0	9.5
280 x 86	40.219	25	280	86	11.5	257.0	11.5
320 x 88	38.083	26	320	88	8.0	304.0	8.0
320 x 90	43.107	23	320	90	10.0	300.0	10.0
320 x 92	48.131	21	320	92	12.0	296.0	12.0
360 x 96	47.814	21	360	96	9.0	342.0	9.0
360 x 98	53.466	19	360	98	11.0	338.0	11.0
360 x 100	59.118	17	360	100	13.0	334.0	13.0
400 x 100	58.928	17	400	100	10.0	380.0	10.0
400 x 102	65.208	15	400	102	12.5	375.0	12.5
400 x 104	71.488	14	400	104	14.5	371.0	14.5

Note:

- Various Standard Lengths: 6m - 12m or as required.
- Not all sizes are listed above. Please contact our sales team (sales@steelmasterglobal.com) for availability of products.



Angles - Equal Angles (EA)

 Section: Equal Angles (EA) Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted			
Nominal Size (mm)	Nominal Thickness (mm)	Weight / Metre (kg/m)	Metres / Tone (m/t)
20 x 20	3	0.889	1125
	4	1.145	873
25 x 25	3	1.124	890
	4	1.459	685
30 x 30	3	1.373	728
	4	1.786	560
36 x 36	3	1.656	604
	4	2.163	462
	5	2.654	377
40 x 40	3	1.852	540
	4	2.422	413
	5	2.976	336
45 x 45	3	2.088	479
	4	2.736	365
	5	3.369	297
	6	3.985	251
50 x 50	3	2.332	429
	4	3.059	327
	5	3.770	265
	6	4.465	224
56 x 56	3	2.624	381
	4	3.446	290
	5	4.251	235
	8	6.568	152
63 x 63	4	3.907	256
	5	4.822	207
	6	5.721	175
	8	7.469	134
	10	9.151	109
70 x 70	4	4.372	229
	5	5.397	185
	6	6.406	156
	7	7.398	135
	8	8.373	119
75 x 75	5	5.818	172
	6	6.905	145
	7	7.976	125
	8	9.030	111
	10	11.089	90


Table continues over page



Section: Equal Angles (EA) Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted			
Nominal Size (mm)	Nominal Thickness (mm)	Weight / Metre (kg/m)	Metres / Tone (m/t)
80 x 80	5	6.211	161
	6	7.376	136
	7	8.525	117
	8	9.658	104
	10	11.874	84
90 x 90	6	8.350	120
	7	9.656	104
	8	10.946	91
	10	13.476	74
	12	15.940	63
100 x 100	6	9.366	107
	7	10.830	92
	8	12.276	81
	10	15.120	66
	12	17.898	56
	14	20.611	49
110 x 110	16	23.257	43
	7	11.928	84
	8	13.532	74
	10	16.690	60
	12	19.782	51
125 x 125	14	22.809	44
	10	19.133	52
	12	22.696	44
140 x 140	14	26.193	38
	10	21.488	47
	12	25.522	39
	14	29.490	34
160 x 160	16	33.393	30
	10	24.729	40
	12	29.391	34
	14	33.987	29
180 x 180	16	38.518	26
	12	33.159	30
	14	38.383	26
	16	43.542	23
200 x 200	18	48.634	21
	14	42.894	23
	16	48.680	21
	18	54.401	18
	20	60.056	17
	24	71.168	14

Note:

- Various Standard Lengths: 3m - 12m or as required.
- Not all sizes are listed above. Please contact our sales team (sales@steelmasterglobal.com) for availability of products.



Angles - Unequal Angles (UA)

Section: Unequal Angles (UA) Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted				
Long Leg (mm)	Short Leg (mm)	Thickness (mm)	Weight/Metres (kg/m)	Metres / Tone (m/t)
32	20	3	1.171	854
32	20	4	1.522	657
40	25	3	1.484	674
40	25	4	1.936	517
45	28	3	1.687	593
45	28	4	2.203	454
50	32	3	1.908	524
50	32	4	2.494	401
56	36	3	2.153	464
56	36	4	2.818	355
56	36	5	3.466	289
63	40	4	3.185	314
63	40	5	3.92	255
63	40	6	4.638	216
63	40	7	5.339	187
70	45	4	3.57	280
70	45	5	4.403	227
70	45	6	5.218	192
70	45	7	6.011	166
75	50	5	4.808	208
75	50	6	5.699	175
75	50	8	7.431	135
75	50	10	9.098	110
80	50	5	5.005	200
80	50	6	5.935	168
80	50	7	6.848	146
80	50	8	7.745	129
90	56	5	5.661	177
90	56	6	6.717	149
90	56	7	7.756	129
90	56	8	8.779	114
100	63	6	7.55	132
100	63	7	8.722	115
100	63	8	9.878	101
100	63	10	12.142	82
100	80	6	8.35	120
100	80	7	9.656	104
100	80	8	10.946	91
100	80	10	13.476	74

Table continues over page



Section: Unequal Angles (UA) Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted				
Long Leg (mm)	Short Leg (mm)	Thickness (mm)	Weight/Metres (kg/m)	Metres/Tone (m/t)
110	70	6	8.35	120
110	70	7	9.656	104
110	70	8	10.946	91
110	70	10	13.476	74
125	80	7	11.066	90
125	80	8	12.511	80
125	80	10	15.474	65
125	80	12	18.33	55
140	90	8	14.16	71
140	90	10	17.475	57
140	90	12	20.724	48
140	90	14	23.908	42
160	100	10	19.872	50
160	100	12	23.592	42
160	100	14	27.247	37
160	100	16	30.835	32
180	110	10	22.273	45
180	110	12	26.464	38
180	110	14	30.589	33
180	110	16	34.649	29
200	125	12	29.761	34
200	125	14	34.436	29
200	125	16	39.045	26
200	125	18	43.588	23

- Note:**
- Various Standard Lengths: 3m - 12m or as required.
 - Not all sizes are listed above. Please contact our sales team (sales@steelmasterglobal.com) for availability of products.




Merchant Bar – Rounds

 Section: Merchant Bar - Rounds Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted		
Nominal Size Diameter (mm)	Weight / Metre (kg/m)	Metres / Tone (m/t)
6	0.23	4348
8	0.41	2439
10	0.63	1587
12	0.91	1099
14	1.24	806
16	1.61	621
18	2.04	490
20	2.52	397
22	3.05	327
24	3.64	275
27	4.61	217
30	5.69	176
33	6.88	145
36	8.19	122
39	9.61	104

Note:


- More sizes are available, diameter from 6mm up to 500mm with various lengths as required.
- Please contact our sales team (sales@steelmasterglobal.com) for availability of products.



Merchant Bar – Squares

	Section: Merchant Bar - Squares Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted		
	Nominal Size (mm)	Weight / Metre (kg/m)	Metres / Tone (m/t)
	10	0.81	1235
	12	1.16	862
	16	2.06	485
	20	3.22	311
	25	5.03	199
	32	8.24	121
	40	12.87	78

- Note:**
- More sizes are available, diameter from 6mm up to 500mm with various lengths as required.
 - Please contact our sales team (sales@steelmasterglobal.com) for availability of products.



Section: Reinforcing Mesh Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized			
Description	Unit	Size (m)	Weight per Sheet (kg)
SL81	Sheet	6.0 x 2.4	105
SL52	Sheet	6.0 x 2.4	11
SL52H	Half Sheet	3.0 x 2.4	11
SL62	Sheet	6.0 x 2.4	33
SL62H	Half Sheet	3.0 x 2.4	16
SL72	Sheet	6.0 x 2.4	40
SL72H	Half Sheet	3.0 x 2.4	20
SL82	Sheet	6.0 x 2.4	52
SL92	Sheet	6.0 x 2.4	65
SL102	Sheet	6.0 x 2.4	80
RL718	Sheet	6.0 x 2.4	68
RL818	Sheet	6.0 x 2.4	79
RL918	Sheet	6.0 x 2.4	93
RL1018	Sheet	6.0 x 2.4	109
RL1118	Sheet	6.0 x 2.4	131
RL1218	Sheet	6.0 x 2.4	157


Note:

- Product designation example - RL718

R (Rectangular), L (Class L - low carbon), 7 (long wire nominal diameter), 1 (100mm long wire pitch spacing), 8 (cross wire nominal diameter). Cross wire pitch spacing is always 200mm for rectangular mesh.

- Product designation example - SL82

S (Square), L (Class L - low carbon), 8 (long & cross wire nominal diameter), 2 (200mm long & cross wire pitch spacing) H - this defines a half sheet.



Merchant Bar – Flats

Section: Merchant Bar - Flats Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted		
nominal Size (mm)	Weight / Metre (kg/m)	Metres / Tone (m/t)
16 x 5	0.60	1667
16 x 8	1.03	971
20 x 5	0.80	1250
20 x 6	0.96	1042
20 x 10	1.61	621
25 x 5	1.01	990
25 x 6	1.21	826
25 x 8	1.61	621
25 x 10	2.00	500
25 x 12	2.41	415
32 x 3	0.77	1299
32 x 5	1.29	775
32 x 6	1.54	649
32 x 8	2.06	485
32 x 10	2.57	389
32 x 12	3.09	324
40 x 3	0.97	1031
40 x 5	1.61	621
40 x 6	1.93	518
40 x 8	2.57	389
40 x 10	3.22	311
40 x 12	3.86	259
40 x 16	5.15	194
40 x 20	6.44	155
50 x 3	1.21	826
50 x 5	2.01	498
50 x 6	2.42	413
50 x 8	3.22	311
50 x 10	4.02	249
50 x 12	4.83	207
50 x 16	6.44	155
50 x 20	8.05	124
50 x 25	10.06	99
65 x 3	1.57	637


Table continues over page



Merchant Bar – Flats cont...

Section: Merchant Bar - Flats Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted		
nominal Size (mm)	Weight / Metre (kg/m)	Metres / Tone (m/t)
65 x 5	2.62	382
65 x 6	3.14	318
65 x 8	4.18	239
65 x 10	5.23	191
65 x 12	6.28	159
65 x 16	8.37	119
65 x 20	10.46	96
65 x 25	13.08	76
75 x 5	3.02	331
75 x 6	3.62	276
75 x 8	4.83	207
75 x 10	6.03	166
75 x 12	7.24	138
75 x 16	9.66	104
75 x 20	12.07	83
75 x 25	15.09	66
75 x 40	24.14	41
90 x 6	4.35	230
90 x 8	5.79	173
90 x 10	7.24	138
90 x 12	8.69	115
100 x 5	4.03	248
100 x 6	4.83	207
100 x 8	6.44	155
100 x 10	8.05	124
100 x 12	9.66	104
100 x 16	12.92	77
100 x 20	16.10	62
100 x 25	20.12	50
110 x 5	4.42	226
110 x 6	5.31	188
110 x 8	7.08	141
110 x 10	8.85	113
110 x 12	10.62	94
130 x 5	5.23	191
130 x 6	6.28	159
130 x 8	8.37	120
130 x 10	10.46	96
130 x 12	12.55	80
130 x 16	16.74	60

Table continues over page



Merchant Bar - Flats cont...

Section: Merchant Bar - Flats Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted		
nominal Size (mm)	Weight / Metre (kg/m)	Metres / Tone (m/t)
130 x 20	20.92	48
130 x 25	26.15	38
150 x 5	6.03	166
150 x 6	7.24	138
150 x 8	9.66	104
150 x 10	12.10	83
150 x 12	14.48	69
150 x 16	19.31	52
150 x 20	24.14	41
150 x 25	30.17	33
150 x 50	60.34	17
180 x 5	7.25	138
180 x 6	8.69	115
180 x 8	11.57	86
180 x 10	14.48	69
180 x 12	17.38	58
180 x 16	23.18	43
180 x 20	28.97	35
180 x 25	36.21	28
200 x 6	9.65	104
200 x 8	12.87	78
200 x 10	16.09	62
200 x 12	19.31	52
200 x 16	25.75	39
200 x 20	32.18	31
200 x 25	40.23	25
250 x 6	12.07	83
250 x 10	20.12	50
250 x 12	24.13	41
250 x 16	32.18	31
250 x 20	40.28	25
250 x 25	50.32	20
300 x 6	14.48	69
300 x 10	24.14	41
300 x 12	28.97	35
300 x 16	38.64	26
300 x 20	48.27	21
300 x 25	60.37	17

Note:

- Standard length 6 metres or as required.
- Not all sizes are listed above. Please contact our sales team (sales@steelmasterglobal.com) for availability of products.



Plain Plate

Section: Merchant Bar - Flats Grade: 250MPa / 300MPa Surface Finish: Mill Finish / Galvanized / Painted					
Plate thickness (mm)	Weight / Square Metre (kg/m ²)	Weight / Linear Metre of Plate Width (kg)			
		1200mm	1500mm	1800mm	2400mm
3	23.55	28.3	35.3	42.4	56.5
4	31.40	37.7	47.1	56.5	75.4
5	39.25	47.1	58.9	70.7	94.2
6	47.10	56.5	70.7	84.8	113.0
8	62.80	75.4	94.2	113.0	150.7
10	78.50	94.0	118.0	141.0	188.0
12	94.20	113.0	141.0	170.0	226.0
16	125.60	151.0	188.0	226.0	301.0
20	157.00	188.0	236.0	283.0	377.0
22	172.70	207.0	259.0	311.0	415.0
25	196.25	236.0	294.0	353.0	471.0
28	219.80	264.0	330.0	396.0	528.0
32	251.20	301.0	377.0	452.0	603.0
36	282.60	339.0	424.0	509.0	678.0
40	314.00	377.0	471.0	565.0	754.0
45	353.25	424.0	530.0	636.0	848.0
50	392.50	471.0	589.0	707.0	942.0
55	431.75	518.0	648.0	777.0	1036.0
60	471.00	565.0	707.0	848.0	1130.0
65	510.00	612.0	765.0	918.0	1224.0
70	549.50	659.0	824.0	989.0	1319.0
75	588.75	707.0	883.0	1060.0	1413.0
80	628.00	754.0	942.0	1130.0	1507.0
90	706.50	848.0	1060.0	1272.0	1696.0
100	785.00	942.0	1178.0	1413.0	1884.0

Note:

- Standard length 6 metres or as required.
- Not all sizes are listed above. Please contact our sales team (sales@steelmasterglobal.com) for availability of products.



Although all care has been taken in the preparation of information in this brochure, Steel Master Global Pty Ltd cannot accept liability for errors or omissions, or for the use of this brochure. You should always satisfy yourself as to the accuracy of the information and contact Steel Master Global for any clarification required.

Issued September 2015

Steel Master Global Pty Ltd ABN 24 605 552 207
Mobile 0400 230 423 - Mark
0424 771 899 - Luis
Email sales@steelmasterglobal.com
Website <http://www.steelmasterglobal.com>

Images are for illustration purposes only.

